

School Environmental Health & Safety Inspection Form

School VALLEY VIEW PRIMARY				Date of Inspection Thursday, November 17, 2016			
Address 110 COMSTOCK				Type of Inspection <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Complaint <input type="checkbox"/> Consultation <input type="checkbox"/> Follow-up			
City DAYTON OH		Zip 45327		School Classification <input checked="" type="checkbox"/> Public <input type="checkbox"/> Non-Public			
County Montgomery County Ohio		Phone		Type of School (Check all that apply) <input type="checkbox"/> Preschool <input type="checkbox"/> Middle <input type="checkbox"/> High <input type="checkbox"/> Kindergarten <input type="checkbox"/> Intermediate <input type="checkbox"/> Career Center <input checked="" type="checkbox"/> Elementary Other			
Principal or Chief Building Administrator BILL LAUSON				HVAC System (Check all that apply)			
Grades of Instruction K-5		Regular hours of school operation 9:10A.M-3:30 P.M.		HEATING		COOLING	
Enrollment 500		Classrooms 32	Year Constructed 01/01/1954	Year(s) Renovated	Central forced Air Systems <input type="checkbox"/>	Unit Ventilators <input type="checkbox"/>	<input type="checkbox"/>
School District VALLEYVIEW				Steam/Hot Water Radiators <input checked="" type="checkbox"/>	Electric Heating Units <input type="checkbox"/>	Geothermal <input type="checkbox"/>	Other <input type="checkbox"/>
				n/a	n/a	<input type="checkbox"/>	<input type="checkbox"/>

Indicate areas of deficiency by marking appropriate box (OAC 3701-54-)

<input type="checkbox"/> 06-A1 Grounds & Building Exterior	<input type="checkbox"/> 08-C Industrial Arts Classrooms	<input type="checkbox"/> 09-E Training or Weight Lifting Rooms
<input type="checkbox"/> 06-A2 Playgrounds	<input type="checkbox"/> 08-D Stage & Set Design Areas	<input type="checkbox"/> 09-F Restrooms
<input type="checkbox"/> 06-A3 Solid Waste Disposal Areas	<input type="checkbox"/> 08-E Music Room(s)	<input type="checkbox"/> 09-G Custodial Closets
<input type="checkbox"/> 06-A4 Outdoor Athletic Facilities	<input type="checkbox"/> 08-F Family & Consumer Science	<input type="checkbox"/> 09-H Mechanical Rooms
<input type="checkbox"/> 07-A All School Indoor Environments	<input type="checkbox"/> 09-A Auditoriums & Student Dining	<input type="checkbox"/> 09-I Attics/Mezzanines/Crawls
<input type="checkbox"/> 07-B Hallways & Stairwells	<input type="checkbox"/> 09-B Library/Media Center	<input type="checkbox"/> 09-J Water/Wastewater System
<input type="checkbox"/> 08-A Science Classrooms	<input type="checkbox"/> 09-C Indoor Athletic Facilities	<input type="checkbox"/> 09-K Health Care Areas
<input type="checkbox"/> 08-B Visual Arts Classrooms	<input type="checkbox"/> 09-D Locker Rooms	<input type="checkbox"/> 09-L Admin Areas/Rules & Protocols

Rule No. Location	Observations and recommendations for change, if adverse conditions exists.
----------------------	--

It is recommended that all clean equipment in the facility is stored in a secure area of the facility to prevent potential injury.

It is recommended the TV in the Library is secured properly to the platform and counter to prevent potential injury.

Inspected by Joshua R Lucas	Health District Public Health Dayton & Montgomery County		Name of School Staff Accompanying Inspector DAVID ESHBAW	
Signature	Date	R.S./SIT # Registered Sanitarian #3640	Phone PH-DMC 937-496-3128	
Received by	Date	Title	Phone	

School Environmental Health & Safety Inspection Form

School VALLEY VIEW INTERMEDIATE				Date of Inspection Thursday, November 17, 2016			
Address 64 COMSTOCK				Type of Inspection <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Complaint <input type="checkbox"/> Consultation <input type="checkbox"/> Follow-up			
City GERMANTOWN OH		Zip 45327		School Classification <input checked="" type="checkbox"/> Public <input type="checkbox"/> Non-Public			
County Montgomery County Ohio		Phone		Type of School (Check all that apply) <input type="checkbox"/> Preschool <input type="checkbox"/> Middle <input type="checkbox"/> High <input type="checkbox"/> Kindergarten <input checked="" type="checkbox"/> Intermediate <input type="checkbox"/> Career Center <input checked="" type="checkbox"/> Elementary Other			
Principal or Chief Building Administrator HAROLD BOWMAN				HVAC System (Check all that apply)			
Grades of Instruction 3-6		Regular hours of school operation 7A.M.-4:00 P.M.		HEATING		COOLING	
Enrollment 525		Classrooms 31	Year Constructed 01/01/1922	Year(s) Renovated	Central forced Air Systems <input type="checkbox"/>	Unit Ventilators <input type="checkbox"/>	Steam/Hot Water Radiators <input checked="" type="checkbox"/>
School District VALLEYVIEW				Electric Heating Units <input type="checkbox"/>	Geothermal <input type="checkbox"/>	Other	n/a
							n/a

Indicate areas of deficiency by marking appropriate box (OAC 3701-54-)

<input type="checkbox"/> 06-A1 Grounds & Building Exterior	<input type="checkbox"/> 08-C Industrial Arts Classrooms	<input type="checkbox"/> 09-E Training or Weight Lifting Rooms
<input type="checkbox"/> 06-A2 Playgrounds	<input type="checkbox"/> 08-D Stage & Set Design Areas	<input type="checkbox"/> 09-F Restrooms
<input type="checkbox"/> 06-A3 Solid Waste Disposal Areas	<input type="checkbox"/> 08-E Music Room(s)	<input type="checkbox"/> 09-G Custodial Closets
<input type="checkbox"/> 06-A4 Outdoor Athletic Facilities	<input type="checkbox"/> 08-F Family & Consumer Science	<input type="checkbox"/> 09-H Mechanical Rooms
<input type="checkbox"/> 07-A All School Indoor Environments	<input type="checkbox"/> 09-A Auditoriums & Student Dining	<input type="checkbox"/> 09-I Attics/Mezzanines/Crawls
<input type="checkbox"/> 07-B Hallways & Stairwells	<input type="checkbox"/> 09-B Library/Media Center	<input type="checkbox"/> 09-J Water/Wastewater System
<input type="checkbox"/> 08-A Science Classrooms	<input type="checkbox"/> 09-C Indoor Athletic Facilities	<input type="checkbox"/> 09-K Health Care Areas
<input type="checkbox"/> 08-B Visual Arts Classrooms	<input type="checkbox"/> 09-D Locker Rooms	<input type="checkbox"/> 09-LM Admin Areas/Rules & Protocols

Rule No. Location	Observations and recommendations for change, if adverse conditions exists.
----------------------	--

No problems noted at the time of inspection.

School sanitation is satisfactory.

Inspected by Joshua R Lucas	Health District Public Health Dayton & Montgomery County	Name of School Staff Accompanying Inspector DAVID ESHBAW	
Signature	Date	R.S./SIT # Registered Sanitarian #3640	Phone PH-DMC 937-486-3128
Received by	Date	Title	Phone

School Environmental Health & Safety Inspection Form

School VALLEY VIEW HIGH SCHOOL				Date of Inspection Thursday, November 17, 2016			
Address 6027 FARMERSVILLE RD				Type of Inspection [X] Routine [] Complaint [] Consultation [] Follow-up			
City FARMERSVILLE OH			Zip 45327	School Classification [X] Public [] Non-Public			
County Montgomery County Ohio			Phone	Type of School (Check all that apply) [] Preschool [] Middle [X] High [] Kindergarten [] Intermediate [] Career Center [] Elementary Other			
Principal or Chief Building Administrator TODD KOZAREC				HVAC System (Check all that apply)			
Grades of Instruction 9-12		Regular hours of school operation 7:45A.M.-2:30P.M.		HEATING		COOLING	
Enrollment 620		Classrooms 30	Year Constructed 01/19/1968	Year(s) Renovated	Central forced Air Systems Unit Ventilators	[X] []	[] []
School District VALLEYVIEW SCHOOL DISTRICT				Steam/Hot Water Radiators	[X]	n/a	n/a
				Electric Heating Units	[]	n/a	n/a
				Geothermal	[]	[]	[]
				Other			

Indicate areas of deficiency by marking appropriate box (OAC 3701-54-)

<input type="checkbox"/> 06-A1 Grounds & Building Exterior	<input type="checkbox"/> 08-C Industrial Arts Classrooms	<input type="checkbox"/> 09-E Training or Weight Lifting Rooms
<input type="checkbox"/> 06-A2 Playgrounds	<input type="checkbox"/> 08-D Stage & Set Design Areas	<input type="checkbox"/> 09-F Restrooms
<input type="checkbox"/> 06-A3 Solid Waste Disposal Areas	<input type="checkbox"/> 08-E Music Room(s)	<input type="checkbox"/> 09-G Custodial Closets
<input type="checkbox"/> 06-A4 Outdoor Athletic Facilities	<input type="checkbox"/> 08-F Family & Consumer Science	<input type="checkbox"/> 09-H Mechanical Rooms
<input type="checkbox"/> 07-A All School Indoor Environments	<input type="checkbox"/> 09-A Auditoriums & Student Dining	<input type="checkbox"/> 09-I Attics/Mezzanines/Crawls
<input type="checkbox"/> 07-B Hallways & Stairwells	<input type="checkbox"/> 09-B Library/Media Center	<input type="checkbox"/> 09-J Water/Wastewater System
<input type="checkbox"/> 08-A Science Classrooms	<input type="checkbox"/> 09-C Indoor Athletic Facilities	<input type="checkbox"/> 09-K Health Care Areas
<input type="checkbox"/> 08-B Visual Arts Classrooms	<input type="checkbox"/> 09-D Locker Rooms	<input type="checkbox"/> 09-LM Admin Areas/Rules & Protocols

Rule No. Location	Observations and recommendations for change, if adverse conditions exists.
----------------------	--

It is recommended that storage rooms in science rooms that contain chemicals and are not monitored by teachers are locked to prevent potential injury of students.

Microwave in the second art room observed is damaged and recommended to be repaired or replaced.

Inspected by Joshua R Lucas	Health District Public Health Dayton & Montgomery County		Name of School Staff Accompanying Inspector DAVID ESHBAW	
Signature	Date	R.S./SIT # Registered Sanitarian #3640	Phone PH-DMC 937-496-3128	
Received by	Date	Title	Phone	

School Environmental Health & Safety Inspection Form

School VALLEY VIEW JUNIOR HIGH SCHOOL				Date of Inspection Thursday, November 17, 2016				
Address 202 JACKSON STREET				Type of Inspection [X] Routine [] Complaint [] Consultation [] Follow-up				
City DAYTON OH		Zip 45325		School Classification [X] Public [] Non-Public				
County Montgomery County Ohio			Phone	Type of School (Check all that apply) [] Preschool [] Middle [] High [] Kindergarten [] Intermediate [] Career Center [X] Elementary Other				
Principal or Chief Building Administrator NICHOLE THOMAS								
Grades of Instruction 7-8		Regular hours of school operation 9A.M.-3:15P.M.		HVAC System (Check all that apply)		HEATING	COOLING	
Enrollment 298		Classrooms 25	Year Constructed 01/01/1923	Year(s) Renovated 01/01/1955	Central forced Air Systems	[]	[]	
						Unit Ventilators	[]	[]
						Steam/Hot Water Radiators	[X]	n/a
						Electric Heating Units	[]	n/a
						Geothermal	[]	[]
						Other		
School District VALLEYVIEW								

Indicate areas of deficiency by marking appropriate box (OAC 3701-54-)

<input type="checkbox"/> 06-A1 Grounds & Building Exterior	<input type="checkbox"/> 08-C Industrial Arts Classrooms	<input type="checkbox"/> 09-E Training or Weight Lifting Rooms
<input type="checkbox"/> 06-A2 Playgrounds	<input type="checkbox"/> 08-D Stage & Set Design Areas	<input type="checkbox"/> 09-F Restrooms
<input type="checkbox"/> 06-A3 Solid Waste Disposal Areas	<input type="checkbox"/> 08-E Music Room(s)	<input type="checkbox"/> 09-G Custodial Closets
<input type="checkbox"/> 06-A4 Outdoor Athletic Facilities	<input type="checkbox"/> 08-F Family & Consumer Science	<input type="checkbox"/> 09-H Mechanical Rooms
<input type="checkbox"/> 07-A All School Indoor Environments	<input type="checkbox"/> 08-G Auditoriums & Student Dining	<input type="checkbox"/> 09-I Attics/Mezzanines/Crawls
<input type="checkbox"/> 07-B Hallways & Stairwells	<input type="checkbox"/> 09-B Library/Media Center	<input type="checkbox"/> 09-J Water/Wastewater System
<input type="checkbox"/> 08-A Science Classrooms	<input type="checkbox"/> 09-C Indoor Athletic Facilities	<input type="checkbox"/> 09-K Health Care Areas
<input type="checkbox"/> 08-B Visual Arts Classrooms	<input type="checkbox"/> 09-D Locker Rooms	<input type="checkbox"/> 09-LM Admin Areas/Rules & Protocols

Rule No. Location	Observations and recommendations for change, if adverse conditions exists.
----------------------	--

No problems noted at the time of inspection.

School sanitation is satisfactory.

Inspected by Joshua R. Lucas	Health District Public Health Dayton & Montgomery County		Name of School Staff Accompanying Inspector DAVID ESHBAW	
Signature	Date	R.S./SIT # Registered Sanitarian #3640	Phone PH-DMC 937-496-3128	
Received by	Date	Title	Phone	